













List of the compatible module-holder and front-plates from 3 party suppliers

Supplier	Series / Type	Description	Pictures	Color	Module Holder	Faceplate/ Cover	Frame	R&M Module
<b>Busch-Jaeger Elektro GmbH</b> <a href="http://www.Busch-jaeger.de">www.Busch-jaeger.de</a> Busch-jaeger Elektro GmbH P.O.Box DEU-58505 Lüdenscheid Tel:0049 0180 566 9900 Fax: 0049 0180 566 9909	Busch-Duro 2000® SI 1)	<b>Cover Plate with tab</b> with down-leading outlet. For covering Reichle & De-Massari inserts to accommodate 1801 EB-10 or 1801 EB-16. With marking plate 41.5 x 10 mm.		white	 alpine white 1801-EB-10 (1764-0-0323)  anthracite 1801-EB-16 (1764-0-0331)	<b>Art-No</b>  1801-212	<b>Faceplate Order Nr.</b>  1753-0-8154	<b>R-Nummer</b> R 35251 R 35252 R 302 377 R 302 378
	Reflex SI 1)	<b>Cover Plate with tab</b> with down-leading outlet. For covering Reichle & De-Massari inserts to accommodate 1801 EB-10 or 1801 EB-16. With marking plate 41.5 x 10 mm.		Alpin white	 alpine white 1801-EB-10 (1764-0-0323) anthracite 1801-EB-16 (1764-0-0331)	<b>Art-No</b>  1801-0-8162	<b>Faceplate Order Nr.</b>  1753-0-8162	<b>R-Nummer</b> R 35251 R 23252 R 302 377 R 302 378
	alpha nea® / alpha exclusive® 1)	<b>Cover Plate with tab</b> with down-leading outlet. For covering Reichle & De-Massari inserts to accommodate 1801 EB-10 or 1801 EB-16. With marking plate 41.5 x 10 mm.		platinum bronze ivory studio white (matt) Studio white (shiny)  brown hansa blue amber obsidian palladium titanium	 alpine white 1801-EB-10 (1764-0-0323)  anthracite 1801-EB-16 (1764-0-0331)	<b>Art-No</b> 1801-20 1801-21 1801-22G 1801-24 1801-24G 1801-26 1801-28 1801-233 1801-255 1801-260 1801-266	1753-0-9251 1753-0-9269 1710-0-2629 1753-0-8139 1710-0-2694 1753-0-0023 1753-0-9293 1710-0-3371 1710-0-3397 1710-0-3319 1710-0-3345	<b>R-Nummer</b> R 35251 R 35252 R 302 377 R 302 378







1) To complete the device please use cover frames additionally.  
 Frames are available in horizontal and vertical versions from 1-5  
 gang in every colour. Please have a look at [www.bush-jaeger.de](http://www.bush-jaeger.de)

**List of the compatible module-holder and front-plates from 3 party suppliers**

Supplier	Series / Type	Description	Pictures	Color	Module Holder	Faceplate/ Cover	Frame	R&M Module
<b>Busch-Jaeger Elektro GmbH</b> <a href="http://www.Busch-jaeger.de">www.Busch-jaeger.de</a> Busch-jaeger Elektro GmbH P.O.Box DEU-58505 Lüdenscheid Tel:0049 0180 566 9900 Fax: 0049 0180 566 9909	Busch-Duro 2000® SI 1)	<b>Cover Plate with tab</b> for modular Jack, with shutters for Art.-Nr. 1810 With marking plate 41.5 x 10 mm.		white	Supporting Frame 1810	Art-No. 1800-212	Faceplate Order No. 1753-0-8022	
	Reflex SI 1)			alpine white		1800-214		
		<b>Supporting Frame with green socket</b> for 2 Modular Jack Inserts in combination with 2 adaptor No. 1			adapter No.1  R 310694	Art-No. 1810	Faceplate Order No. 1753-0-8048	R-Nummer R 305111 R 305112 R 305113 R 305114
	alpha nea® / alpha exclusive® 1)	<b>Cover Plate with tab</b> for modular Jack, with shutters for Art.-Nr. 1810 With marking plate 41.5 x 10 mm.		platinum bronze ivory white studio white (matt) Studio white (shiny) brown hansa blue amber obsidian palladium titanium	Supporting Frame 1810	Art-No. 1800-20 1800-21 1800-22G 1800-24 1800-24G 1800-26 1800-28 1800-233 1800-255 1800-260 1800-266	Faceplate Order No. 1753-0-9178 1753-0-9186 1710-0-2645 1753-0-8121 1710-0-2710 1753-0-0022 1753-0-9293 1710-0-3370 1710-0-3396 1710-0-3318 1710-0-3344	
	<b>Supporting Frame with green socket</b> for 2 Modular Jack Inserts in combination with 2 adaptor No. 1			adapter No.1  R 310694	Art-No. 1810	Faceplate Order No. 1753-0-8048	R-Nummer R 305111 R 305112 R 305113 R 305114	

1) To complete the device please use cover frames additionally.  
 Frames are available in horizontal and vertical versions from 1-5 gang in every colour. Please have a look at [www.bush-jaeger.de](http://www.bush-jaeger.de)

List of the compatible module-holder and front-plates from 3 party suppliers

Supplier	Series / Type	Description	Pictures	Color	Module Holder	Faceplate/ Cover	Frame	R&M Module
<b>Busch-Jaeger Elektro GmbH</b> <a href="http://www.Busch-jaeger.de">www.Busch-jaeger.de</a> Busch-jaeger Elektro GmbH P.O.Box DEU-58505 Lüdenscheid Tel:0049 0180 566 9900 Fax: 0049 0180 566 9909	future® / 1) future® linear 1) solo® 1) carat 1)	<b>Cover Plate with tab</b> for modular Jack, with shutters for Art.-Nr. 1810 With marking plate 60,2 x 9,2 mm.		anthracite ivory white alusilver Studio white (shiny) grahite light green purple pigeon blue light grey	Supporting Frame 1810	<b>Art-No.</b> 1800-81 1800-82 1800-83 1800-84 1800-85 1800-86 1800-87 1800-88 1800-89	<b>Faceplate Order No.</b> 1710-0-3627 1710-0-3158 1710-0-3676 1710-0-3176 1710-0-3194 1710-0-3212 1710-0-3230 1710-0-3248 1710-0-3449	
		<b>Supporting Frame with green socket</b> for 2 Modular Jack Inserts in combination with 2 adaptor No. 1			adapter No.1  <b>R 310694</b>	<b>Art-No.</b> 1810	<b>Faceplate Order No.</b> 1753-0-8048	<b>R-Nummer</b> R 305111 R 305118 R 305113 R 305114
	impuls 1)	<b>Cover Plate with tab</b> for modular Jack, with shutters for Art.-Nr. 1810 With marking plate 41.5 x 10 mm.		cobalt blue diamond black alpine white light grey champagne metallic	Supporting Frame 1810	<b>Art-No.</b> 1800-70 1800-71 1800-74 1800-76 1800-79	<b>Faceplate Order No.</b> 1710-0-1696 1710-0-1704 1753-0-8667 1710-0-1712 1710-0-8710 1753-0-8691	
		<b>Supporting Frame with green socket</b> for 2 Modular Jack Inserts in combination with 2 adaptor No. 1			adapter No.1  <b>R 310694</b>	<b>Art-No.</b> 1810	<b>Faceplate Order No.</b> 1753-0-8048	<b>R-Nummer</b> R 305111 R 305118 R 305113 R 305114

1) To complete the device please use cover frames additionally.  
 Frames are available in horizontal and vertical versions from 1-5  
 gang in every colour. Please have a look at [www.bush-jaeger.de](http://www.bush-jaeger.de)







List of the compatible module-holder and front-plates from 3 party suppliers

Supplier	Series / Type	Description	Pictures	Color	Module Holder	Faceplate/ Cover	Frame	R&M Module
<b>Busch-Jaeger Elektro GmbH</b> <a href="http://www.Busch-jaeger.de">www.Busch-jaeger.de</a> Busch-jaeger Elektro GmbH P.O.Box DEU-58505 Lüdenscheid Tel:0049 0180 566 9900 Fax: 0049 0180 566 9909	Busch-Duro 2000® SI 1)  Reflex SI 1)	<b>Cover Plate</b> square cut-out for common devices with square central plate (50 x 50 mm)		white  alpine white	 R306010   R306008	<b>Art-No.</b>  1746-212-101  1746-214-101	<b>Faceplate Order No.</b>  1726-0-0173  1726-0-0181	<b>R-Nummer</b> R925370 R925371 R304325 R302372 R304327 R304326 R302373 R304328
	alpha nea® / alpha exclusive® 1)	<b>Cover Plate</b> square cut-out for common devices with square central plate (50 x 50 mm)		ivory studio white (matt) studio white (shiny)	 R306010   R306008	<b>Art-No.</b>  1746/10-22G 1746/10-22 1746/10-22G	<b>Faceplate Order No.</b>  1710-0-2652 1753-0-8576 1710-0-2744	<b>R-Nummer</b> R925370 R925371 R304325 R302372 R304327 R304326 R302373 R304328
	future® / 1) future® linear 1) solo® 1) carat 1)	<b>Cover Plate</b> square cut-out for common devices with square central plate (50 x 50 mm)		ivory white studio white (shiny)	 R306010   R306008	<b>Art-No.</b>  1746/10-82 1746/10-84	<b>Faceplate Order No.</b>  1710-0-3521 1753-0-3522	<b>R-Nummer</b> R925370 R925371 R304325 R302372 R304327 R304326 R302373 R304328
	impuls 1)	<b>Cover Plate</b> square cut-out for common devices with square central plate (50 x 50 mm)		alpine white	 R306010	<b>Art-No.</b>  1746/10-74	<b>Faceplate Order No.</b>  1753-0-9046	<b>R-Nummer</b> R925370 R925371 R304325 R302372 R304327 R304326 R302373 R304328










1) To complete the device please use cover frames additionally.  
 Frames are available in horizontal and vertical versions from 1-5 gang in every colour. Please have a look at [www.bush-jaeger.de](http://www.bush-jaeger.de)



List of the compatible module-holder and front-plates from 3 party suppliers




Supplier	Series / Type	Description	Pictures	Color	Module Holder	Faceplate/ Cover	Frame	R&M Module
		30° inclined outlet with mounting frame for screw fixing With labelling field 7x44 mm		Anthracite Aluminium	RDM 20.610.21 RDM 20.610.70 RDM			R304326 R302373 R304328 R925370 R304325 R302372 R304327
		Central plate With square standard opening 50x50mm, for junction boxes manufactured by R&M  As above With hinged cover, with labelling field		Pure white Anthracite Aluminium,  Pure white  Anthracite  Aluminium,			20.670.02 ZV 117211 20.670.21 ZV 129511 20.670.70 ZV 155811  20.670.02 K Na ZV 160611 20.670.21 k Na ZV 160711 20.670.70 K Na ZV 160911	
		Central plate with high hinged cover With square standard opening, 50x50mm, for junction boxes manufactured by R&M		Pure white Anthracite Aluminium,		20.670.02 KH Na ZV 116711 20.670.21 KH Na ZV 128111 20.670.70 KH Na ZV 155711		
	Spritzwassergeschützte	1 port modul for schraubbefestigung Abmessung 60x60mm 		White	710.02 MJ ATT/C	619711		R302780 R308731 R304373 R308732 R302518 R308733 R304374 R308734
	Compacta	1 Port module holder for Schraubbefestigung Einsatz mit Kombi-Rahmen 771, 772 und 773 		Pure white Agate grey Deep black Brown Gold Chrome Aluminium Pure white Agate grey Deep black Brown Gold Chrome Aluminium Pure white Agate grey Deep black Brown Gold Chrome Aluminium	710.02 MJ ATT/C		771.02 603111 771.13 613111 771.19 618111 771.26 608111 771.61 623111 771.60 628111 771.70 623711 772.02 603211 772.13 613211 772.19 618211 772.26 608211 772.61 623211 772.60 628211 772.70 623811 773.02 603311 773.13 613311 773.19 618311 773.26 608311 773.61 623311 773.60 628311 773.70 623911	

List of the compatible module-holder and front-plates from 3 party suppliers

Supplier	Series / Type	Description	Pictures	Color	Module Holder	Faceplate/ Cover	Frame	R&M Module
	Aluminium, Guss	1 Port module holder for den Einsatz im Peha Aluminium Guss Programm 			320.69 MJ ATT/C AGU WE			
	WAB Gehäuse	1 Port module holder or komplett WAB Box with Einführungsrippeln 	 		620 MJ ATT/C WAB			
	Adapter Nr.1 R310694 	Can be mounted at FM outlet. Together with PEHA module holder 600 MJ5 for 2x1 port module with green insert. 	 		600 MJ5			R30511 R30512 R30513 R30514
		Faceplate with 2 dust cover in 3 series: Standard, Dialog and Aura				<p><b>Standard:</b> 80.610 MJ2w in RAL1013 80.610 MJ2Aw in arctic 80.610.02 MJ2 in RAL9010</p> <p><b>Dialog:</b> 95.610.03 MJ2 in RAL1013 95.610.02 MJ2 in RAL9010 95.610.15 MJ2 in effektgrau 95.610.19 MJ2 in tiefschwarz 95.610.49 MJ2 in kobaltblau 95.610.27 MJ2 in graubraun 95.610.19 MJ2 in alu</p> <p><b>Aura:</b> 20.610.02 MJ2 in RAL9010 20.610.21 MJ2 in anthrazit 20.610.20 MJ2 in alu</p>		












**List of the compatible module-holder and front-plates from 3 party suppliers**



Supplier	Series / Type	Description	Pictures	Color	Module Holder	Faceplate/ Cover	Frame	R&M Module
	Adapter Nr.1 R310694 	Moudle 45 for floor box and duct application. 67.5x45 mm with 2 dust cover				610.02 MJ 5 EMS/67.5		R30511 R30512 R30513 R30514
								







**List of the compatible module-holder and front-plates from 3 party suppliers**

Supplier	Series / Type	Description	Pictures	Color	Module Holder	Faceplate/ Cover	Frame	R&M Module
<b>Jung</b> <a href="http://www.jung.de">http://www.jung.de</a> Albrecht Jung GMBH &CO.KG Volmenstrasse 1 DEU-58579 Schalksmühle Tel:0049 02355 806 168(Sales Support) Fax: 0049 02355 806 189 Email: jung-info@t-online.de	ST550	<b>Center plate for modular jack sockets ACS</b> With inscription plate 6x37 mm		Ivory White		569-21ACS CD 569-21 ACS WW		R35252 R35251 R302377 R302378
		<b>Farne</b>					5581-5582	
	ST550	<b>Data connection cap with adjustable outlet (Vertical, 15° or 30° inclined outlet)</b> With inscription plate 59x23 mm 30° outlet suitable for vertical combination of several caps		Ivory White		554 CD 554 WW		
		<b>Mounting plates for data connection cap 554 / CD 554 WW</b>			54-1ACS (1 Port)		R925370 R925371 R302372 R302373	
				54-2 ACS (2 Port)				
	CD500	<b>Center plate for modular jack sockets ACS</b> With inscription plate 6x37 mm		Ivory Brown Grey Light grey White		569-21 ACS CD 569-21 ACS BR CD 569-21 ACS GR CD 569-21 ACS LG CD 569-21 ACS WW		R35252 R35251 R302377 R302378
	CD500	<b>Data connection cap with adjustable outlet (Vertical, 15° or 30° inclined outlet)</b> With inscription plate 59x23 mm 30° outlet suitable for vertical combination of several caps		Ivory White		554 CD 554 WW		
		<b>Mounting plates for data connection cap 554 / CD 554 WW</b>			54-1ACS (1 Port)		R925370 R925371 R302372 R302373	
					54-2 ACS (2 Port)			
	AS500 /A plus	<b>Screw-on center plate with shutter for R&amp;M with supporting frame for screw fixing</b>		Ivory  White		A 569-21 ACS  A 569-21 ACS WW	AS 581..- AS 585..	R35251 R35252 R302377 R302378




**List of the compatible module-holder and front-plates from 3 party suppliers**

Supplier	Series / Type	Description	Pictures	Color	Module Holder	Faceplate/ Cover	Frame	R&M Module
	AP 600	Breakproof IP44			54-1 ACS  54-2 ACS			R925370 R925371 R302372 R302373
	Adapter Nr.1 R310694 							






**List of the compatible module-holder and front-plates from 3 party suppliers**

Supplier	Series / Type	Description	Pictures	Color	Module Holder	Faceplate/ Cover	Frame	R&M Module
<b>Merten</b> Merten GmbH & Co.KG Postfach 10 06 53 DEU-51606 Gummersbach Tel: 0049 2261 702 01 Fax: 0049 2261 702 284 Email: <a href="mailto:info@merten.de">info@merten.de</a> <a href="http://www.merten.de">http://www.merten.de</a>	<b>System M</b>	<b>Insert for Reichle &amp; De-Massari</b> For two Reichle & De Massari connection modules or additional R&M modules. Information: <a href="http://www.rdm.com">http://www.rdm.com</a> To be completed with: Inclined outlet, art. no. 4646.., 4643... Accessories: Reichle & De-Massari connection module, unshielded, art. no. 465580/82. Reichle & De-Massari connection module, shielded, art. no. 465581/83. Reichle & De-Massari splash flange, art. no. 465591. Reichle & De-Massari splash sleeve, art. no. 465590.		Black	464384			R925370 R304325 R302372 R304327 R925371 R304326 R302373 R304328
		<b>Inclined outlet</b> For data connection and communications technology. Order the associated inserts separately. To be completed with: Communications inserts, art. no. 4643784		White Polar white Anthracite Aluminium		464644 464619 464614 464660		
	<b>System Design</b>	<b>Insert for Reichle &amp; De-Massari</b> For two Reichle & De Massari connection modules or additional R&M modules. Information: <a href="http://www.rdm.com">http://www.rdm.com</a> To be completed with: Inclined outlet, art. no. 4646.., 4643... Accessories: Reichle & De-Massari connection module, unshielded, art. no. 465580/82. Reichle & De-Massari connection module, shielded, art. no. 465581/83. Reichle & De-Massari splash flange, art. no. 465591. Reichle & De-Massari splash sleeve, art. no. 465590.		black	464384			R925370 R304325 R302372 R304327 R925371 R304326 R302373 R304328
		<b>Inclined outlet</b> For data connection and communications technology. Order the associated inserts separately. With labelling field. To be labelled with labelling strips. To be completed with: Communications inserts, art. no. 464384 Accessories: Labelling strips for switches, socket-outlets, art. no. 395019		White Polar white Vanilla Ice blue Light grey Midnight blue Dark brazil Black grey Aluminium Stainless steel		464344 464319 464382 464388 464329 464378 464315 464369 464360 464346		





List of the compatible module-holder and front-plates from 3 party suppliers

Supplier	Series / Type	Description	Pictures	Color	Module Holder	Faceplate/ Cover	Frame	R&M Module
	<b>AQUADESIGN</b>	<p><b>Insert for Reichle &amp; De-Massari</b>                      For two Reichle &amp; De Massari connection modules or additional R&amp;M modules.                      Information: <a href="http://www.rdm.com">http://www.rdm.com</a>                      To be completed with: Inclined outlet, art. no. 4646., 4643...                      Accessories: Reichle &amp; De-Massari connection module, unshielded, art. no. 465580/82. Reichle &amp; De-Massari connection module, shielded, art. no. 465581/83. Reichle &amp; De-Massari splash flange, art. no. 465591. Reichle &amp; De-Massari splash sleeve, art. no. 465590.</p>		black	464384			R925370 R304325 R302372 R304327 R925371 R304326 R302373 R304328
		<p><b>Inclined outlet</b>                      For data connection and communications technology. Order the associated inserts separately.                      With labelling field.                      To be labelled with labelling strips.                      To be completed with:                      Communications inserts, art. no. 464384                      Accssories: Labelling strips for switches, socket-outlets, art. no. 395019</p>		White Polar white Aluminium		464344 464319 464360		
	<p><b>Adapter Nr.1</b> R310694</p> 							







### List of the compatible module-holder and front-plates from 3 party suppliers

Supplier	Series / Type	Description	Pictures	Color	Module Holder	Faceplate/ Cover	Frame	R&M Module		
<b>Gira</b> Giersiepen GmbH & Co.KG Industriegebiet Mermbach Dahlienstrasse DEU-42477 Radevormwald Tel: 0049 21 95 6020 Fax:0049 21 95 602339 Email: <a href="mailto:info@gira.de">info@gira.de</a> <a href="http://www.gira.de">http://www.gira.de</a>	System 55 – Shatter-proof Communication s Technology	Data cap with support ring and inscription space for data and communication connectiontechnology inserts		Cream white glossy Pure white glossy Pure white matt Anthracite Aluminium		0870 01 0870 03 0870 27 0870 28 0870 26				
		Suitable for two 1-gang modules: RJ 45, Cat. 5, Cat. 6 shielded/unshielded, beam waveguide E 2000 Compact Duplex IBM ACS Fibre, SC Compact Duplex Only suitable for horizontal installation. Not suitable in combination with the water-protected surface-mounted system. <b>Suitable for data cap 0870 ..</b>			0047 00					
		Suitable for separate module holder (Reichle de Massari freenet No. 300605) for freenet 1-gang modules: RJ 45, Cat. 5, Cat. 6 screened/unscreened, LWL E 2000 Compact Duplex IBM ACS Fibre, SC Compact Duplex Only suitable for horizontal installation. Suitable with separate module holder (Reichle de Massari IBM No. 303606 or IBM No. 11k8792) for IBM GFP modules (fix standard) Not suitable in combination with the water-protected surfacemounted system. <b>Suitable for data cap 0870 ..</b>			0079 00					
		Insertable covering cap with adapter plate for common devices with square central plate and angled outlet				Cream white glossy Pure white glossy Pure white matt Anthracite Aluminium		0682 01 0682 03 0682 27 0682 28 0682 26		
		Intermediate plate with square cut-out for common devices with square central plate (50 x 50 mm)				Cream white glossy Pure white glossy Pure white matt  Anthracite aluminium			0282 01 0282 03  0282 27  0282 28 0282 26	

List of the compatible module-holder and front-plates from 3 party suppliers






Supplier	Series / Type	Description	Pictures	Color	Module Holder	Faceplate/ Cover	Frame	R&M Module
	<b>F-Line</b>	Attachable covering cap with intermediate plate for common devices with square central plate and angled outlet		Cream white Pure white Metallic brown Pearl metallic		0682 54 0682 55 0682 56 0682 58		
		Intermediate plate with square cut-out for common devices with square central plate (50 x 50 mm)		Cream white Pure white Metallic brown Pearl metallic			0282 54 0282 55 0282 56 0282 58	
		Data cap with support ring and inscription space for data and communication connection technology inserts		Cream white Pure white Metallic brown Pearl metallic		0870 54 0870 55 0870 56 0870 58		
		Suitable for two 1-gang modules: RJ 45, Cat. 5, Cat. 6 shielded/unshielded, beam waveguide E 2000 Compact Duplex IBM ACS Fibre, SC Compact Duplex Only suitable for horizontal installation. Not suitable in combination with the water-protected surface-mounted system. <b>Suitable for data cap 0870 ..</b>			0047 00			
	Suitable for separate module holder (Reichle de Massari freenet No. 300605) for freenet 1-gang modules: RJ 45, Cat. 5, Cat. 6 screened/unscreened, LWL E 2000 Compact Duplex IBM ACS Fibre, SC Compact Duplex Only suitable for horizontal installation. Suitable with separate module holder (Reichle de Massari IBM No. 303606 or IBM No. 11k8792) for IBM GFP modules (fix standard) Not suitable in combination with the water-protected surface-mounted system. <b>Suitable for data cap 0870 ..</b>			0079 00				
	<b>S-Classic</b>	Hinged covering cap with intermediate plate for common devices with square central plate and angled outlet		Pearly white Metallic brown		0682 601 0682 602		

List of the compatible module-holder and front-plates from 3 party suppliers






Supplier	Series / Type	Description	Pictures	Color	Module Holder	Faceplate/ Cover	Frame	R&M Module
		Intermediate plate with square cut-out for common devices with square central plate (50 x 50 mm)		Pearly white Metallic brown			0282 601 0282 602	
		Data cap with support ring and inscription space for data and communication connection technology inserts		Pearly white Metallic brown		0870 601 0870 602		
		Suitable for two 1-gang modules: RJ 45, Cat. 5, Cat. 6 shielded/unshielded, beam waveguide E 2000 Compact Duplex IBM ACS Fibre, SC Compact Duplex Only suitable for horizontal installation. Not suitable in combination with the water-protected surface-mounted system. <b>Suitable for data cap 0870 ..</b>			0047 00			
		Suitable for separate module holder (Reichle de Massari freenet No. 300605) for freenet 1-gang modules: RJ 45, Cat. 5, Cat. 6 screened/unscreened, LWL E 2000 Compact Duplex IBM ACS Fibre, SC Compact Duplex Only suitable for horizontal installation. Suitable with separate module holder (Reichle de Massari IBM No. 303606 or IBM No. 11k8792) for IBM GFP modules (fix standard) Not suitable in combination with the water-protected surface mounted system. <b>Suitable for data cap 0870 ..</b>			0079 00			
	<b>S-Color</b>	Hinged covering cap with intermediate plate for common devices with square central plate and angled outlet		Pure white Grey Red Blue Black Dark grey		0682 40 0682 42 0682 43 0682 46 0682 47 0682 49		
		Intermediate plate with square cut-out for common devices with square central plate (50 x 50 mm)		Pure white Grey Red Blue Black			0282 40 0282 42 0282 43 0282 46 0282 47	






List of the compatible module-holder and front-plates from 3 party suppliers

Supplier	Series / Type	Description	Pictures	Color	Module Holder	Faceplate/ Cover	Frame	R&M Module
				Dark grey			0282 49	
		Data cap with support ring and inscription space for data and communication connection technology inserts		Pure white Grey Red Blue Black Dark grey		0870 40 0870 42 0870 43 0870 46 0870 47 0870 49		
		Suitable for two 1-gang modules: RJ 45, Cat. 5, Cat. 6 shielded/unshielded, beam waveguide E 2000 Compact Duplex IBM ACS Fibre, SC Compact Duplex Only suitable for horizontal installation. Not suitable in combination with the water-protected surface-mounted system. <b>Suitable for data cap 0870 ..</b>			0047 00			
		Suitable for separate module holder (Reichle de Massari freenet No. 300605) for freenet 1-gang modules: RJ 45, Cat. 5, Cat. 6 screened/unscreened, LWL E 2000 Compact Duplex IBM ACS Fibre, SC Compact Duplex Only suitable for horizontal installation. Suitable with separate module holder (Reichle de Massari IBM No. 303606 or IBM No. 11k8792) for IBM GFP modules (fix standard) Not suitable in combination with the water-protected surface-mounted system. <b>Suitable for data cap 0870 ..</b>			0079 00			
	<b>Stainless Steel</b>	Attachable covering cap with intermediate plate for common devices with square central plate and angled outlet				0682 20		
		square cut-out for common devices with square central plate (50 x 50 mm) 0282 20 2374		Stainless steel			0282 20	






List of the compatible module-holder and front-plates from 3 party suppliers

Supplier	Series / Type	Description	Pictures	Color	Module Holder	Faceplate/ Cover	Frame	R&M Module
		Data cap with support ring and inscription space for data and communication connection technology inserts				0870 20		
		Suitable for two 1-gang modules: RJ 45, Cat. 5, Cat. 6 shielded/unshielded, beam waveguide E 2000 Compact Duplex IBM ACS Fibre, SC Compact Duplex Only suitable for horizontal installation. Not suitable in combination with the water-protected surface-mounted system. <b>Suitable for data cap 0870 ..</b>			0047 00			
		Suitable for separate module holder (Reichle de Massari freenet No. 300605) for freenet 1-gang modules: RJ 45, Cat. 5, Cat. 6 screened/unscreened, LWL E 2000 Compact Duplex IBM ACS Fibre, SC Compact Duplex Only suitable for horizontal installation. Suitable with separate module holder (Reichle de Massari IBM No. 303606 or IBM No. 11k8792) for IBM GFP modules (fix standard) Not suitable in combination with the water-protected surface mounted system. <b>Suitable for data cap 0870 .</b>			0079 00			
	<b>TX 44 (IP44)</b>	Intermediate plate with attachable covering cap with intermediate plate for common devices with square central plate and angled outlet (IP 20)  <b>Not for installation in humid rooms, due to protection type IP 20.</b>		Pure white Anthracite Aluminium		0682 66 0682 67 0682 65		
		Data cap with support ring and inscription space for data and communication connection technology inserts (IP 20)		Pure white Anthracite Aluminium		0870 66 0870 67 0870 65		





List of the compatible module-holder and front-plates from 3 party suppliers

Supplier	Series / Type	Description	Pictures	Color	Module Holder	Faceplate/ Cover	Frame	R&M Module
		Suitable for two 1-gang modules: RJ 45, Cat. 5, Cat. 6 shielded/unshielded, beam waveguide E 2000 Compact Duplex IBM ACS Fibre, SC Compact Duplex Only suitable for horizontal installation. Not suitable in combination with the water-protected surface-mounted system. <b>Suitable for data cap 0870 ..</b>			0047 00			
		Suitable for separate module holder (Reichle de Massari freenet No. 300605) for freenet 1-gang modules: RJ 45, Cat. 5, Cat. 6 screened/unscreened, LWL E 2000 Compact Duplex IBM ACS Fibre, SC Compact Duplex Only suitable for horizontal installation. Suitable with separate module holder (Reichle de Massari IBM No. 303606 or IBM No. 11k8792) for IBM GFP modules (fix standard) Not suitable in combination with the water-protected surfacemounted system. <b>Suitable for data cap 0870 .</b>			0079 00			
	<b>Adapter Nr.1 R310694</b> 							







**List of the compatible module-holder and front-plates from 3 party suppliers**

Supplier	Series / Type	Description	Pictures	Color	Module Holder	Faceplate/ Cover	Frame	R&M Module
<b>Berker</b> Geb.Berker GmbH &Co. KG Klagebach 38 DEU-58579 Schalksmühle Tel: 0049 2355 905 610 Fax: 0049 2355 905 606 Email: <a href="mailto:info@berker.de">info@berker.de</a> <a href="http://www.berker.de">http://www.berker.de</a>	<b>Module 2</b>	<b>Central plate for 1 or 2 single modules</b> with supporting plate for connecting modules RJ45 cat.5e and cat.6 for fibre-optic modules with 30° oblique outlet without spreader claws <b>Attention!</b> Use only with intermediate ring for central plate from the range.		White Polar white		1472 02 1472 09		R302372 R302373 R304325 R304326 R304327 R304328 R305543 R925370 R925371
		<b>Central plate for double modules</b> with supporting plate for connecting modules RJ45 cat.5e and cat.6 for fibre-optic modules with 30° oblique outlet without spreader claws <b>Attention!</b> Use only with intermediate ring for central plate from the range.		White Polar white		1461 02 1461 09		25431 25434 302377 302378 35251 35252
	<b>B.1</b>	<b>Centre plate for 1 or 2 single modules</b> with supporting plate for connecting modules RJ45 cat.5e and cat.6 for fibre-optic modules with 30° oblique outlet without spreader claws <b>Attention!</b> Use only with intermediate ring for central plate from the range.		Aluminium Anthracite polar white		1533 14 04 1533 16 06 1533 16 09		R302372 R302373 R304325 R304326 R304327 R304328 R305543 R925370 R925371
		<b>Centre plate for double module</b> with supporting plate for connecting modules RJ45 cat.5e and cat.6 for fibre-optic modules with 30° oblique outlet without spreader claws <b>Attention!</b> Use only with intermediate ring for central plate from the range.		Aluminium Anthracite polar white		1511 14 04 1511 16 06 1511 19 09		25431 25434 302377 302378 35251 35252
	<b>Berker Arsys</b>	<b>Central plate for double modules</b> with supporting plate for connecting modules RJ45 cat.5e and cat.6 for fibre-optic modules with 30° oblique outlet without spreader claws		Brown White Stainless steel,lacquered Polar white Light		1461 01 1461 02 1461 04 1461 09 1461 11		25431 25434 302377 302378 35251 35252









List of the compatible module-holder and front-plates from 3 party suppliers

Supplier	Series / Type	Description	Pictures	Color	Module Holder	Faceplate/ Cover	Frame	R&M Module
		Attention! Use only with intermediate ring for central plate from the range		bronze,lacque red				
	<b>B.3</b>	<b>Centre plate for 1 or 2 single modules</b> with supporting plate for connecting modules RJ45 cat.5e and cat.6 for fibre-optic modules with 30° oblique outlet without spreader claws Attention! Use only with intermediate ring for central plate from the range		Anthracite Polar white		153316 06 153319 09		R302372 R302373 R304325 R304326 R304327 R304328 R305543 R925370 R925371
		<b>Centre plate for double module</b> with supporting plate for connecting modules RJ45 cat.5e and cat.6 for fibre-optic modules with 30° oblique outlet without spreader claws Attention! Use only with intermediate ring for central plate from the range		Anthracite Polar white		151116 06 151119 09		25431 25434 302377 302378 35251 35252
	<b>S.1</b>	<b>Centre plate for 1 or 2 single modules</b> with supporting plate for connecting modules RJ45 cat.5e and cat.6 for fibre-optic modules with 30° oblique outlet without spreader claws Attention! Use only with intermediate ring for central plate from the range		Polar white		153319 09		R302372 R302373 R304325 R304326 R304327 R304328 R305543 R925370 R925371
		<b>Centre plate for double module</b> with supporting plate for connecting modules RJ45 cat.5e and cat.6 for fibre-optic modules with 30° oblique outlet without spreader claws Attention! Use only with intermediate ring for central plate from the range		Polar white		151119 09		25431 25434 302377 302378 35251 35252

## List of the compatible module-holder and front-plates from 3 party suppliers







Supplier	Series / Type	Description	Pictures	Color	Module Holder	Faceplate/ Cover	Frame	R&M Module
<b>Tehalit</b> <a href="http://www.tehalit.com">www.tehalit.com</a>  Hager Tehalit GmbH Zum Gunerstal D-66440 Brieskastel Tel. +49 6842 945 0	BR netway PVC BRSN Ecoline	Can be installed as floorbox or FM outlet. Halogen free PC-ABS		Anthrazit Creme white Pure white  <b>BRSN</b> Anthrazit Creme white Pure white		G4020ANTH G40209001 G40209010  <b>BRSH</b> G4021 ANTH G40219001 G40219010		
		Blend Mounting		Licht grey Creme white Pure white Coate alumium Licht grey Creme white Pure white		G3404 7035 G3404 9001 G3404 9010 G3404 LAN G34047035 G34049001 G34049010		
<b>Cimabox</b> C/Carredera n°1, esquina C/Moli Polfgono Industrial Gran Roca ESP-08107 Martorelles-Barcelona Tel : 0034 93 345 3350 Fax : 0034 93 345 3608 Email : <a href="mailto:cimabox@cimabox.com">cimabox@cimabox.com</a> <a href="http://www.cimabox.com">http://www.cimabox.com</a>	<b>Standard Serie</b>	<b>Voice and data plates</b> <b>Plates without cover slot</b> Plates in standard Cimabox 107x52 mm format. Width: 52mm Length:107 mm Depth: 14 mm		RAL9003 (-4)  RAL9010 (-9)		S61		R925370
	<b>Plate Adapter</b>	<b>Adaptor Plate 30x34 mm</b> Together with 30x34 mm adaptor module MO54 and Angled Plate K73		RAL9003 (-4)  RAL9010 (-9)			S73	R925370
	<b>K range Direct Clipping</b>	<b>30x34 mm Adaptor Module</b> The 30x34 modules are installed together with adapter plate. Ref.K73		RAL9003 (-4)  RAL9010 (-9)	MO54			R925370
		<b>Angled Plate</b> Angled plate for 30x34 modules. These modules allow you to install one connector		RAL9003 (-4)  RAL9010 (-9)			K73	R925370

List of the compatible module-holder and front-plates from 3 party suppliers

Supplier	Series / Type	Description	Pictures	Color	Module Holder	Faceplate/ Cover	Frame	R&M Module	
<b>VIMAR</b> VIMAR S.p.A Viale Vicenza 14 ITA-36063 Marostica VI Tel : 0039 0424 488600 Fax :0039 0424 488188 <a href="http://www.vimar.it">http://www.vimar.it</a>	<b>IDEA</b> 	<b>Switches</b> RJ45 outlet with R&M Freenet system connector, cat. 5e, unshielded, T568A/B universal wiring, 8 contacts, insulation-piercing terminals		Grey white	16365.1 16365.1.B			R925371 R304326	
		<b>Mounting Frame</b> 3-module mounting frame, with screws, for 3-module flush or surface (09975#) mounting boxes							16713
		<b>Cover Plate</b> 3-module classica cover plate, die-cast metal, for 3-module rectangular mounting boxes, white		White red amaranth forest green sage green sand ivory black cobalt blue metal silver					16733.01 16733.04 16733.05 16733.07 16733.08 16733.09 16733.10 16733.11 16733.12 16733.21
<b>ABB s.r.o Elektro-Praga</b> ABB s.r.o.Elektro-Praga Resslerova 3 466 02 Jablonec nad Nisou Czech Republic Tel: 00420 483 364111 Fax:00420 483 312059 Email: <a href="mailto:epj.jablonec@cz.abb.com">epj.jablonec@cz.abb.com</a> <a href="http://www.abb-epj.cz">http://www.abb-epj.cz</a>	<b>Tango</b> 	Cover for R&Mfreenet outlets		White Ivory Beige Dark blue bordeaux black		5014A-A00420 B 5014A-A00420 C 5014A-A00420 D 5014A-A00420 M 5014A-A00420 R 5014A-A00420 S		R925371 R302373 R925370 R302372 R308461 (SC-RJ)	
		These frames have 1 gang frames; 2 gang, horizontal frames; 2 gang, vertical frames; 3 gang, horizontal frames; 3 gang, vertical frames; 4 gang, horizontal frames, 4 gang vertical frames and 5 gang horizontal frames.		White Ivory Beige Dark blue Bordeaux grey			3901A-B10 B 3901A-B10 C 3901A-B10 D 3901A-B10 M 3901A-B10 R 3901A-B10 S		
		Holder for Snap-In Connection Modules, suitable also for Alpha nea /Alpha exclusive/ Solo		black	5014A-B1017 (single) 5014A-B1018 (single) 5014A-B1020 (blind)	5014A-A100 X			R302518 R304374 R302780 R304373



List of the compatible module-holder and front-plates from 3 party suppliers




Supplier	Series / Type	Description	Pictures	Color	Module Holder	Faceplate/ Cover	Frame	R&M Module
		/Implus system		White Ivory Beige Dark blue bordeaux black		5014A-A100 B 5014A-A100 C 5014A-A100 D 5014A-A100 M 5014A-A100 R 5014A-A100 S		
	<b>Element Time</b>	Work together with Element and Time		black	5014E-B01017 (single) 5014E-B01018 (single) 5014E-B01020 (blind)	5014E-A00100 xx		R302518 R304374 R302780 R304373
		Element				5014E-A00100 01 5014E-A00100 03 5014E-A00100 04 5014E-A00100 07 5014E-A00100 21 5014E-A00100 22 5014E-A00100 23 5014E-A00100 24		
		These frames have 1 gang frames; 2 gang, horizontal frames; 2 gang, vertical frames; 3 gang, horizontal frames; 3 gang, vertical frames; 4 gang, horizontal frames, 4 gang vertical frames and 5 gang horizontal frames.					3901E-A00110 01 3901E-A00110 03 3901E-A00110 04 3901E-A00110 07 3901E-A00110 21 3901E-A00110 22 3901E-A00110 23 3901E-A00110 24	
		Time				5014E-A00100 01 5014E-A00100 02 5014E-A00100 03 5014E-A00100 08 5014E-A00100 31 5014E-A00100 32 5014E-A00100 33 5014E-A00100 34		
		These frames have 1 gang frames; 2 gang, horizontal frames; 2 gang, vertical frames; 3 gang, horizontal frames; 3 gang, vertical frames; 4 gang, horizontal frames, 4 gang vertical frames and 5 gang horizontal frames.					3901F-A00110 01 3901F-A00110 02 3901F-A00110 03 3901F-A00110 08 3901F-A00110 31 3901F-A00110 32 3901F-A00110 33 3901F-A00110 34	

Liste der Lieferanten kompatibler Modulhalter und Frontplatten





Supplier	System	Description	Picture	Module Holder	Mounting plate	Adapter Frame	Apparatus Box	Hinged Cover	R&M Module	
Electraplan <a href="http://www.electraplan.de">www.electraplan.de</a> Deutsche Electraplan GmbH Industriestrasse 8 D-22869 Schenefeld Tel: 0049 40 83990-0 Fax: 0049 40 83990-109	<b>RASTEC System</b>	<b>GBR3 6x Module holder R&amp;M</b> Mounting plate for the installation of 6x module holder R307833 R&Mfreenet.  Using instead of apparatus box GB3 /GB3D/GBR3		R&Mfreenet R307833  Black 	405 750 190			<a href="#">KDR Q3</a>	R925371 R304326 R302373 R304328 R925370 R304325 R302372 R304327	
		<b>GBR3 6x Snap-in-module R&amp;M</b> Mounting plate for the installation of 6x snap in modules Using instead of an apparatus box GB3/GB3D/GBR3			405 750 290				KDR Q3	R302780 R304373 R302518 R304374
		<b>IDL R&amp;M Module holder 2 1 RTM</b> Mounting plate for the installation of 2x module holder. Using with an inclined mounting plate 2x RT module at the apparatus box GBR2 or GBR3		R&Mfreenet R307833  Black 	881 891 090			GBR2 or GBR3		R925371 R304326 R302373 R304328 R925370 R304325 R302372 R304327
		<b>IDL R&amp;M Snap in 3 RTM</b> Mounting plate for the installation of 3 snap in module. Using with an inclined mounting plate 1x RT module at the apparatus box GBR2 or GBR3			881 881 090			GBR2 or GBR3		R302780 R304373 R302518 R304374
	<b>RASTEC System</b>	<b>IDL MACS 2 Mounting plate</b> Mounting plate for the installation of 2 port double module.  <b>ID-G EACS 2G</b>	 		883 600 050  881 802 300				DIN connector module: 2xRJ45/s , Cat.5e R35252 2xRJ45/s,Cat.6 R302377 2xRJ45/u,Cat.53 R35251 2xRJ45/u, Cat.6 R302378	



Liste der Lieferanten kompatibler Modulhalter und Frontplatten







Supplier	System	Description	Picture	Module Holder	Mounting plate	Adapter Frame	Apparatus Box	Hinged Cover	R&M Module
		Apparatus box GB3 Apparatus box GB3D Apparatus box GB3D with Cover plate GB3 M2S Apparatus box GB3D with Cover plate GB3 M4				I-M2 AR I- M2 AR	405 701 010 405 702 010 405 731 060 405 722 060		
		<b>Hinged cover of series E2, E4 und Q4</b> Apparatus box GBM				I M2 AR	405 821 010		
		<b>Hinged cover of series Q2S</b> Apparatus box GB4 M4/45 Apparatus box GB4 M4/50 Apparatus box GB4 M8 /45				I-M2 AR	405 997 010 405 994 010		

## Electraplan Underfloor Trunking System

Supplier	System	Description	Pictures	Modell-Mummer	color	Artikel-number	Mounting Diameter	
Electraplan <a href="http://www.electraplan.de">www.electraplan.de</a> Deutsche Electraplan GmbH Industriestrasse 8 D-22869 Schenefeld Tel: 0049 40 83990-0 Fax: 0049 40 83990-109	<b>Underfloor Trunking System</b> <b>Hinged Cover Q3 with Click Ladder System</b> With carpet protective frame or flooring edge made out of polyamide; for flooring thickness of 5,8 or 12 mm; for maximum 12 apparatus within 3 apparatus boxes type GBR3; stepwise lowering of apparatus boxes up to 30 mm.	<b>Hinged cover KDR Q3</b>  Width: 294 mm Length: 294 mm Height: 30 mm		KDR0 Q3R5 7011 KDR0 Q3R5 8014 KDR0 Q3R5 1019 KDR0 Q3R5 9005 KDR0 Q3R8 7011 KDR0 Q3R8 8014 KDR0 Q3R8 1019 KDR0 Q3R8 9005 KDR0 Q3R12 7011 KDR0 Q3R12 8014 KDR0 Q3R12 1019 KDR0 Q3R12 9005	Grey Brown Beige Black Grey Brown Beige Black Grey Brown Beige black	856 427 010 856 427 020 856 427 040 856 427 090 856 437 012 856 437 022 856 437 042 856 437 092 856 447 012 856 447 022 856 447 042 856 447 092	294x294 294x294 294x294 294x294 294x294 294x294 294x294 294x294 294x294 294x294 294x294 294x294 294x294	
		<b>Flooring edge</b> Flooring carpet edge made out of polyamide. Usable for hard flooring e.g.PVC or parquet, for thickness of 12 mm. Available as well in 5 or 8mm. Floor box is to be installed before laying of the flooring. Outer diameter 300x300 mm. Built-in measurement 294x294 mm.Built- in depth from 70mm For three apparatus boxes GBR 3						
		<b>Carpet protective Frame</b> Carpet protective frame made out of polyamide. Available for flooring thickness in 5,8 or 12 mm. The carpet protective frame is overlapping the edge of the flooring and is to protect the carpet material against fraying at the edge. Floor box is to be installed after laying of the flooring. Outer diameter 314x314mm.		KDZ Q3R51 7011 KDZ Q3R51 8014 KDZ Q3R51 1019 KDZ Q3R51 9005	Grey Brown Beige back	856 402 010 856 420 020 856 420 040 856 420 090	275x280 275x280 275x280 275x280	
		<b>Blind Cover BD Q3/Q4</b> Teppichschutzrahmen aus Polyamid für Belagstärke 5 mm, 8 or 12 mm. Aussenmass: 314x314		BD0 Q3R5 7011 BD0 Q3R5 8014 BD0 Q3R5 1019 BD0 Q3R5 9005 BD0 Q3R8 7011 BD0 Q3R8 8014 BD0 Q3R8 1019 BD0 Q3R8 9005 BD0 Q3R12 7011 BD0 Q3R12 8014 BD0 Q3R12 1019 BD0 Q3R12 9005	Grey Brown Beige Black Grey Brown Beige Black Grey Brown Beige black	356 127 010 356 127 020 356 127 040 356 127 090 356 137 010 356 137 020 356 137 040 356 137 090 356 147 010 356 147 020 356 147 040 356 147 090	294x294 294x294 294x294 294x294 294x294 294x294 294x294 294x294 294x294 294x294 294x294 294x294 294x294	



## Electraplan Underfloor Trunking System

Supplier	System	Description	Pictures	Modell-Mummer	color	Artikel-number	Mounting Diameter
	<b>Underfloor Trunking System Hinged Cover R3 with ClicK Ladder System</b> With carpet protective frame or flooring edge made out of polyamide; for flooring thickness of 5,8 or 12 mm; for maximum 12 apparatus within 3 apparatus boxes type GBR3; stepwise lowering of apparatus boxes up to 30 mm.	Hinged cover KDR..R3 with carpet frame or flooring edge..		KDR0 R3R5 7011 KDR0 R3R5 8014 KDR0 R3R5 1019 KDR0 R3R5 9005 KDR0 R3R8 7011 KDR0 R3R8 8014 KDR0 R3R8 1019 KDR0 R3R8 9005	Grey Brown Beige Black Grey Brown Beige black	855 427 010 855 427 020 855 427 040 855 427 090 855 437 010 855 437 020 855 437 040 855 427 090	Ø 306 Ø 306 Ø 306 Ø 306 Ø 306 Ø 306 Ø 306 Ø 306
		Carpet frame- carpet protective frame made out of polyamide. Available for flooring thickness in 5,8,12 mm. The carpet protective frame is overlapping the edge of the flooring and floor box is to be installed after laying of the flooring. Uter diameter Ø325 mm		KD0 R3R5 A KD0 R3R5 AP KD0 R3R5 A+E KD0 R3R5 AP+E	Alum Polished Alum+ fitter Polished + fitter	355 427 500 355 427 505 355 427 510 355 427 515	Ø 306 Ø 306 Ø 306 Ø 306
		Flooring edge Flooring carpet edge made out of polyamide. Usable for hard floorings e.g. PVC or parquet, for thickness of 12 mm. Available as well in 5 or 8 mm. Floor box is to be installed before laying of the flooring. Outer diameter Ø312 mm Built-in measurement Ø306 mm .Built- in depth from 70mm For three apparatus boxes GBR 3		KDZ R3R5I 7011 KDZ R3R5I 8014 KDZ R3R5I 1019 KDZ R3R5I 9005	Grey Brown Beige Black	855 420 010 855 420 020 855 420 040 855 420 090	Ø 294 Ø 294 Ø 294 Ø 294
		 Blind cover BD R3 Teppichschutzahmen aus Polyamid für Belagstärke 5 mm oder 8 mm. Aussenmass Ø 325mm		BD0 R3R5 7011 BD0 R3R5 8014 BD0 R3R5 1019 KDR0 R3R5 9005 BD0 R3R8 7011 BD0 R3R8 8014 BD0 R3R8 1019 BD0 R3R8 9005	Grey Brown Beige Black Grey Brown Beige black	355 127 010 355 127 020 355 127 040 355 127 090 355 137 010 355 137 020 355 137 040 355 137 090	Ø 306 Ø 306 Ø 306 Ø 306 Ø 306 Ø 306 Ø 306 Ø 306
		Blind cover BD R3 Aluminium		BD0 R3R5 A BD0 R3R5 AP	Alum Polished	355 127 500 355 127 505	Ø 306 Ø 306

## Electraplan Underfloor Trunking System

Supplier	System	Description	Pictures	Modell-Mummer	color	Artikel-number	Mounting Diameter
	<b>Retractable cover KD R2</b> Teppichschutzrahmen aus Polyamid für Belagstärke 5 oder 8 mm. Aussenmass Ø 253 mm						